











**Index:**

| | |
|----------------------------------|---------|
| <i>Trolleys</i> | 120-121 |
| <i>Level Gauge</i> | 121 |
| <i>Safety Pallet</i> | 122 |
| <i>Safety Drum Trolley</i> | 122 |
| <i>Drum Lifts</i> | 122 |

| Trolleys | | | Part.No |
|---|--------------------------|-------------------------|--|
| <p>Trolley for 12 kg Buckets to 60 kg Drums Trolley for 12 kg to 60 kg drums with chain for holding the drum in place. Wheel diameter ø 155 mm.</p> | | |   |
| Description | Dimension (LxWxH) | Weight (approx.) | |
| Trolley | 300x390x1000 mm | 5,9 kg | |
| <p>Accessories Pump bracket with G2" (f) thread. Mounts on the trolley with a pipe clamp. Strap 1,5 meters long for small kegs/buckets.</p> | | | <p>28528</p> <p>28557</p> <p>40801327</p> |
| <p>Drum Trolley for 60 kg Drums Drum trolley for 60 kg drums only. With tubular drum support and a clamp screw for fixing the drum. Two swivel castors ø75 mm and two ø 160 mm wheels.</p> | | |   |
| Description | Dimension (LxWxH) | Weight (approx.) | |
| Drum trolley | 500x450x1060 mm | 6 kg | |
| <p>Accessories Pump bracket with G2 (f) thread. Mounts on the trolley with a pipe clamp.</p> | | | 28557 |
| <p>Drum Trolley for 180 kg Drums Drum trolley for 180 kg drums with three wheels, 2 large ø200 mm and one support wheel ø100 mm, which is equipped with a brake. The handle is supplied loose.</p> | | |  |
| Description | Dimension (LxWxH) | Weight (approx.) | |
| Drum trolley | 785x800x900 mm | 16 kg | |
| <p>Accessories Pump bracket. Reel bracket. For ORK,ORM and CRM Series</p> | | | <p>28645</p> <p>28651</p> <p>28652</p> |
| <p>Drum Trolley for 180 kg Drums Drum trolley for 180 kg drums with four wheels, 2 large ø250 mm and two support wheels ø100 mm, one equipped with a brake. The handle, supplied loose, is held in place by the same screws as the support wheels.</p> | | |  |
| Description | Dimension (LxWxH) | Weight (approx.) | |
| Drum trolley | 785x800x900 mm | 20 kg | |
| <p>Drum Trolley Heavy Duty for 180 kg Drums Drum trolley for 180 kg drums with 3 wheels, 2 large tyres ø260 mm and one support wheel ø150 mm, equipped with a brake.</p> | | |  |
| Description | Dimension (LxWxH) | Weight (approx.) | |
| Drum trolley | 785x800x900 mm | 25 kg | |
| <p>Accessories Reel bracket. For ORK,ORM and CRM Series</p> | | | <p>28276</p> <p>28646</p> <p>28653</p> |

| Trolleys and accessories | | | Part.No |
|---|---|---|---|
| <p>Safety Drum Trolley Drum trolley for all containers up to 180 kg drums, with four wheels, 2 large ø 250 mm, and two support wheels ø 100 mm one equipped with a brake.</p> | | |  |
| <p>Description Safety drum trolley</p> | <p>Dimension (LxWxH) 785x800x900 mm</p> | <p>Weight (approx.) 20 kg</p> | |
| <p>Drum Dolly Dolly for ø 400-600 mm diameter drums, with three adjustable drum attachments and three (ø75 mm) swivel castors, one with a brake.</p> | | |  |
| <p>Description Drum dolly</p> | <p>Dimension (LxWxH) Height approx. 110 mm</p> | <p>Weight (approx.) 7,5 kg</p> | |
| <p>Drum Band Dolly Drum band dolly with an adjustable steel band to suit 60 kg drums (max ø 375) fitted with four ø 60 mm castors.</p> | | |  |
| <p>Description Trolley</p> | <p>Dimension (LxWxH) Max ø 375 mm</p> | <p>Weight (approx.) 7 kg</p> | |
| <p>Drum Trolley Basic drum trolley for transporting and moving oil drums. Useful when manually handling heavy 205 litre drums.</p> | | |  |
| <p>Description Trolley</p> | <p>Dimension (LxWxH) 1400x700x300 mm</p> | <p>Weight (approx.) 9 kg</p> | |
| <p>Drum Cradle The drum cradle enables drums to be picked up in the upright position. Using the extra long handles, the drum is easily tilted and lowered into a horizontal position. In the horizontal position the cradle can be used as a dispensing station. The additional of two wheels converts the drum cradle into a trolley suitable for use on any surface.</p> | | |  |
| <p>Description Trolley</p> | <p>Dimension (LxWxH) 1500x700x500 mm</p> | <p>Weight (approx.) 8 kg</p> | |
| <p>Accessories Wheels</p> | <p>Pair</p> | | |
| <p>Level Gauge Level gauge with a litre scale for exact measurement of all types of fluids in drums. The gauge fits in the 3/4" hole of the drum. Easy to install.</p> | | |  |
| <p>Description Level gauge</p> | | <p>29120</p> | |

| Environment protection & Drum lifts | | | | Part.No | | | | | | | | | | | | | | | | |
|--|-------------------|--------|----------|-------------|---|--------|----------|--|---------------------------|-----------------|-------|-------|-------|---------------------------|-----------------|-------|---------|-------|--|--|
| <p>Drum wrench Fits the most common types of drum caps.</p> | | | | 29250 |  | | | | | | | | | | | | | | | |
| <p>Safety Pallet Safety pallet for upright drum storage, with built in spill containment. Suitable for all sizes and types of drum, the unit, which has a minimum sump capacity of 220 litre, addresses both Health and Safety and Environmental requirements.</p> <table border="1"> <thead> <tr> <th>Description</th> <th>Dimension (LxWxH)</th> <th>Weight</th> <th>Material</th> <th></th> </tr> </thead> <tbody> <tr> <td>Safety pallet for 2 drums</td> <td>1240x820x360 mm</td> <td>65 kg</td> <td>Metal</td> <td>29142</td> </tr> <tr> <td>Safety pallet for 2 drums</td> <td>1240x820x360 mm</td> <td>45 kg</td> <td>Plastic</td> <td>29143</td> </tr> </tbody> </table> | | | | Description | Dimension (LxWxH) | Weight | Material | | Safety pallet for 2 drums | 1240x820x360 mm | 65 kg | Metal | 29142 | Safety pallet for 2 drums | 1240x820x360 mm | 45 kg | Plastic | 29143 | |  |
| Description | Dimension (LxWxH) | Weight | Material | | | | | | | | | | | | | | | | | |
| Safety pallet for 2 drums | 1240x820x360 mm | 65 kg | Metal | 29142 | | | | | | | | | | | | | | | | |
| Safety pallet for 2 drums | 1240x820x360 mm | 45 kg | Plastic | 29143 | | | | | | | | | | | | | | | | |
| <p>Drum Lift Drum lift for upright oil drums. Simple to use, easy to apply. Approved for lifting up to 250 kg.</p> <p>Description Drum Lift</p> | | | | 21100 |  | | | | | | | | | | | | | | | |
| <p>Drum Lift Drum lift for lifting horizontal drums. Particularly useful when storing drums in a drum store. Approved for lifting up to 250 kg.</p> <p>Description Drum Lift</p> | | | | 21108 |  | | | | | | | | | | | | | | | |
| <p>Hydraulic Drum Lift Designed to handle drums on safety pallets and equipped with a pedal operated hydraulic lift.</p> <p>Description Hydraulic Drum Lift</p> | | | | DT300 |  | | | | | | | | | | | | | | | |